

# ECOTRIM

BY SOUTHERN PINE



## PRODUCT WARRANTY

ECOTRIM is Southern Pine's range of untreated, acrylic pre-primed and gesso-coated, finger-jointed timber mouldings, TGV panels and jambs. ECOTRIM is manufactured from Radiata Pine. This product is warranted for 10 years if used in accordance with the enclosed terms and conditions.

Southern Pine Products Ltd (SPP) warrants to replace and / or compensate for defective or substantial product failure subject to the claimant providing;

- proof that the product has been made, or supplied by, SPP and has failed or is substantially unfit for purpose
- timely written notification of the failure of the product (within 30 days of becoming apparent)
- reasonable evidence to indicate the product has been stored, installed and maintained in keeping with normal best practises and consistent with SPP instructions (as per SPP website and brochures)

Warranty is limited to replacement of product or cost value of product at SPP sole discretion and does not extend to any labour or consequential damage caused to other product. Such replacement will be considered full and final compensation.

Cladding and exterior products must be installed by a qualified builder (LBP).

Untreated, Acrylic Pre-primed and Gesso-Coated ECOTRIM

10 Year Limited Product Warranty

Inclusions:

- Southern Pine ECOTRIM products
- Product delamination, splitting or breaking not for reasons excluded below
- Product decay or rot
- Gross manufacturing defects
- Incorrect profiling other than minor variations

Exclusions:

- Evidence that the product has not been correctly stored, installed or maintained. For example, product wet due to incorrect storage, failing to properly seal cut ends or punch nails, not applying paint in a timely manner
- Inappropriate product use that is not consistent with best practise. For example, untreated mouldings in an exterior application
- Product impacted by natural disasters
- Damage after purchase or delivery
- Fair wear and tear with regard to product's age and conditions of use

Southern Pine Products Limited

info@sppnz.co.nz | 0800 999 321 | sppnz.co.nz



## Identification of the Material and Supplier

**Product Name:** Untreated Finger-Jointed Softwood Mouldings

**Other Names:** Finger-Jointed Pine Mouldings

**Recommended Use:** Interior architectural mouldings for residential and commercial construction.

### NZ Importer / Distributor: Southern Pine Products Ltd

**Address:** 635 Halswell Junction Road, Hornby South, Christchurch 8042, New Zealand

**Telephone:** 0800 999 321

**Email:** info@sppnz.co.nz

**Website:** www.sppnz.co.nz

**Emergency Contact:** Dial 111

## Hazard Identification

This product, in its intact form, is not classified as hazardous under the HSNO Act (NZ).

Dust generated through machining or sanding may cause respiratory irritation.

- HSNO Classification: Not classified as hazardous
- GHS Pictogram: None
- Signal Word: None
- Hazard Statement: Wood dust may cause respiratory irritation and may increase long-term risk of nasal or sinus cancer.

## Composition / Information on Ingredients

Component	CAS No.	Proportion	Description
Softwood (Pinus radiata)	-	> 94%	Base timber
Polyurethane Adhesive (Formaldehyde-free)	9003-20-7	< 1%	Single-component adhesive
Water-based Acrylic Primer with CaCO <sub>3</sub>	-	< 5%	Surface coating

**Formaldehyde Emission:** < 0.15 mg/L (Super E0)

**VOC Status:** No added VOCs

## First Aid Measures

- **Swallowed:** Rinse mouth with water. Seek medical advice if symptoms persist.
- **Eyes:** Flush with clean water for at least 15 minutes.
- **Skin:** Wash with soap and water.
- **Inhaled:** Move to fresh air. Seek medical attention if irritation persists.
- **Advice to Doctor:** Treat symptomatically for exposure to wood dust.

## Fire-Fighting Measures

- **Flammability:** Combustible material.
- **Extinguishing Media:** Water spray, foam, dry chemical, or CO<sub>2</sub>.
- **Hazards:** Burning may release CO and CO<sub>2</sub>.
- **Protective Equipment:** Firefighters should wear SCBA.

## Accidental Release Measures

- **Personal Protection:** Avoid inhalation of wood dust. Wear P1/P2 respirator.
- **Clean-Up:** Vacuum or sweep dust. Avoid dry sweeping.

## Handling and Storage

- Minimise airborne dust during machining.
- Store in a dry, well-ventilated area.
- Keep away from ignition sources and avoid smoking near stored product.

## Exposure Controls / Personal Protection

### WorkSafe NZ Exposure Standard:

Wood Dust (Inhalable) — 5 mg/m<sup>3</sup> TWA

PPE	Standard	Requirement
Respiratory	AS/NZS 1715 / 1716	P1 or P2 respirator
Eye Protection	AS/NZS 1337	Safety glasses or goggles
Hands/Clothing	AS/NZS 2161	Gloves & sleeves recommended

## Physical and Chemical Properties

Property	Description
Appearance	Untreated finger-jointed pine mouldings
Odour	Mild when freshly cut
Specific Gravity	0.4 – 0.6
Solubility	Insoluble in water
Auto-Ignition Temperature	> 220°C
Flash Point	Not applicable

## Stability and Reactivity

Stable under normal conditions.

Avoid excessive heat or ignition sources.

## Toxicological Information

- Wood dust may irritate eyes, nose, throat and lungs.
- Long-term inhalation of **fine wood dust** may increase risk of nasal cancer.

## Ecological Information

Biodegradable.

Not classified as harmful to the environment.

## Disposal Considerations

Dispose of waste at approved landfill facilities.

**Do not burn** in domestic fireplaces as smoke may be irritant.

## Transport Information

Not classified as Dangerous Goods under NZS 5433:2020.

UN Number: Not allocated.

## Regulatory Information

Complies with:

- HSNO Act 1996 (NZ)
- Health and Safety at Work Act 2015
- WorkSafe NZ Exposure Standards
- Relevant AS/NZS PPE Standards

## Other Information

- The information provided is believed accurate at the time of preparation.
- Users are responsible for determining suitability for intended application.
- Southern Pine Products Ltd accepts no liability for use outside its control.